1. - 20. (Withdrawn)

- 21. (Original) A method to identify integrin mediated signaling comprising the step of determining whether the cytoplasmic domain of said integrin is phosphorylated.
- 22. (Amended) The method of claim 21 comprising the steps of;
 - a) preparing an extract of a cell expressing an integrin,
 - b) electrophoresing separating components of said extract using SDS electrophoresis, and
 - c) analyzing said electrophoresed sample separated components to determine whether the β subunit of said integrin is phosphorylated.
- 23. (Original) The method of claim 22 wherein an anti-phosphotyrosine antibody is used in the analysis step c).
- 24. 29. (Withdrawn)
- 30. (New) The method of claim 22 wherein the extract is prepared with a high concentration of SDS.
- 31. (New) The method of claim 22 wherein the extract is separated by electrophoresis.
- 32. (New) The method of claim 31 wherein the electrophoresis is 2D electrophoresis.
- 33. (New) The method of claim 22 wherein the cell is a tumor cell.
- 34. (New) The method of claim 33 wherein the tumor cell is a carcinoma cell.
- 35. (New) The method of claim 22 wherein the cell is a platelet.
- 36. (New) The method of claim 22 wherein the cell is an immune system cell.
- 37. (New) The method of claim 36 wherein the immune system cell is selected from the group consisting of: a lymphocyte, a leukocyte, a monocyte, a macrophage, a granulocyte, a natural killer cell, and a neutrophil.

- 38. (New) The method of claim 22 wherein the cell is an epithelial cell.
- 39. (New) The method of claim 38 wherein the epithelial cell is a keratinocyte.
- 40. (New) The method of claim 22 wherein the cell is a fibroblast.